

**3M** Science.  
Applied to Life.™

Go-To Process Supplies  
for Composites

# The view's pretty great from the future.





# Take us where we haven't been before.

When you're a dreamer *and* a do-er, working with composites can help you take things beyond the abilities of traditional materials. We'd like to help you go further, faster.

This collection will help you get right to the 3M products meant to support your work.

Now, you can spend your time pushing limits.

## Contents:

### **4    Abrasives**

---

- 4    Discs and Back-up Pads
- 8    Buffing Pads and Adaptor
- 9    Power Tools

### **10   Adhesives**

---

- 10   Adhesive Sealants, Aerosol and Structural Adhesives

### **11   Coatings, Fillers and Repair**

---

- 11   Body Fillers
- 12   Repair Adhesives, Glazes and Waxes
- 13   Polishing Compounds and Application Accessories

### **15   Protective Materials**

---

- 15   Surface Protection and Masking
- 15   Dirt Trap Material
- 15   Protective Films and Sheeting
- 16   Masking Paper



## 17 Safety

---

- 17 Coveralls
- 19 Eye Protection
- 21 Head and Face Protection
- 23 Hearing Protection
- 26 Safety Communications
- 27 Respiratory Protection
  - 27 Disposable Respirators
  - 28 Powered and Supplied Air Respirator Systems
  - 30 Reusable Respirators

## 34 Sprayer Systems

---

- 34 Adapters, Cups and Collars
- 35 Spray Guns, Tips and Nozzles

## 36 Tapes

---

- 36 Adhesive Transfer Tapes
- 36 Masking Tapes
- 37 Polyester Tapes

# Discs and Back-up Pads

## Cloth Discs



### 3M™ Hookit™ Clean Sanding Disc 900DZ

Get a fast cut and long disc life with our 3M™ Hookit™ Clean Sanding Disc 900DZ. Resin-bonded to a light and flexible J-weight cloth backing, 900DZ's premium ceramic grain slices through steel and resists loading on soft woods and metals. An anti-static treatment and our proprietary clean sanding design help to provide exceptional dust management backed up by our clean sanding accessories.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28121-6	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51141-28130-8	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51141-28138-4	50 discs per box	6 in	12,000	P180	5 Boxes



### 3M™ Hookit™ Cloth Disc 900DZ

3M™ Hookit™ Cloth Disc 900DZ cuts fast with 3M™ Ceramic Abrasive Grain resin-bonded to a light and flexible J-weight cloth backing. Available in 7 grades, this 5-inch disc features an open-coat design and anti-static properties, making it exceptionally well-suited for materials that tend to load. Our Hookit™ system makes for quick disc change-out and easy re-use.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28140-7	50 discs per box	5 in	12,000	60	5 Boxes
0-00-51141-28141-4	50 discs per box	5 in	12,000	80	5 Boxes
0-00-51141-28142-1	50 discs per box	5 in	12,000	P100	5 Boxes
0-00-51141-28143-8	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51141-28144-5	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51141-28145-2	50 discs per box	5 in	12,000	P180	5 Boxes
0-00-51141-28146-9	50 discs per box	5 in	12,000	P220	5 Boxes



### 3M™ Stikit™ Cloth Disc 900DZ

3M™ Stikit™ Cloth Disc 900DZ features high-performing 3M™ Ceramic Abrasive Grain with a static-resistant, open coat on a flexible adhesive backing for exceptional sanding performance on both contoured and flat surfaces. The open coat abrasive provides a more aggressive cut than a comparable closed coat abrasive of the same grade and is well-suited when loading is a problem.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28099-8	50 discs per box	5 in	12,000	60	5 Boxes
0-00-51111-49639-8	50 discs per box	5 in	12,000	80	5 Boxes
0-00-51111-49640-4	50 discs per box	5 in	12,000	P100	5 Boxes
0-00-51111-49641-1	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51111-49643-5	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51111-49642-8	50 discs per box	5 in	12,000	P180	5 Boxes
0-00-51111-49644-2	50 discs per box	5 in	12,000	P220	5 Boxes



### 3M™ Cubitron™ II Hookit™ Cloth Disc 947A

3M™ Cubitron™ II Hookit™ Cloth Disc 947A offers revolutionary performance with 3M Precision Shaped Grain on an X-weight polyester-cotton cloth backing. Our high-performing disc contains a grinding aid, making it ideal for medium to high pressure applications on stainless steel and other exotic alloys, along with carbon steel, cobalt chrome, and nickel alloys.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-76308-45703-7	25 per box	5 in	12,000	40+	8 Boxes
0-00-76308-45704-4	25 per box	5 in	12,000	60+	8 Boxes
0-00-76308-45705-1	25 per box	5 in	12,000	80+	8 Boxes
0-00-76308-45706-8	25 per box	5 in	12,000	120+	8 Boxes
0-00-76308-45719-8	25 per box	6 in	12,000	40+	8 Boxes
0-00-76308-45720-4	25 per box	6 in	12,000	60+	8 Boxes
0-00-76308-45721-1	25 per box	6 in	12,000	80+	8 Boxes
0-00-76308-45710-5	25 per box	6 in	12,000	120+	8 Boxes

# Discs and Back-up Pads

## Film Discs



### 3M™ Hookit™ Clean Sanding Disc 360L

3M™ Hookit™ Clean Sanding Disc 360L offers the latest innovation in dust evacuation. Multi-hole patterns evacuate dust better than 5- or 6-hole products—increasing cut-rate and disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-20541-0	100 discs per box	5 in	12,000	P220	5 Boxes
0-00-51131-01705-4	100 discs per box	5 in	12,000	P240	5 Boxes
0-00-51131-01706-1	100 discs per box	5 in	12,000	P280	5 Boxes
0-00-51131-01707-8	100 discs per box	5 in	12,000	P320	5 Boxes
0-00-51141-20543-4	100 discs per box	5 in	12,000	P400	5 Boxes
0-00-51131-01709-2	100 discs per box	5 in	12,000	P500	5 Boxes
0-00-51131-01710-8	100 discs per box	5 in	12,000	P600	5 Boxes
0-00-51131-01711-5	100 discs per box	5 in	12,000	P800	5 Boxes
0-00-51131-01712-2	100 discs per box	5 in	12,000	P1000	5 Boxes
0-00-51141-20798-8	100 discs per box	6 in	12,000	P220	5 Boxes
0-00-51141-20799-5	100 discs per box	6 in	12,000	P240	5 Boxes
0-00-51141-20800-8	100 discs per box	6 in	12,000	P280	5 Boxes
0-00-51141-20801-5	100 discs per box	6 in	12,000	P320	5 Boxes
0-00-51141-20802-2	100 discs per box	6 in	12,000	P400	5 Boxes
0-00-51141-20803-9	100 discs per box	6 in	12,000	P500	5 Boxes
0-00-51141-20804-6	100 discs per box	6 in	12,000	P600	5 Boxes
0-00-51141-20805-3	100 discs per box	6 in	12,000	P800	5 Boxes
0-00-51141-20806-0	100 discs per box	6 in	12,000	P1000	5 Boxes



### 3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L

3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-86822-8	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86823-5	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-76308-64258-7	50 discs per box	5 in	12,000	150+	5 Boxes
0-00-76308-64264-8	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-64270-9	50 discs per box	5 in	12,000	220+	5 Boxes
0-00-76308-47097-5	50 discs per box	5 in	12,000	240+	5 Boxes
0-00-76308-47081-4	50 discs per box	5 in	12,000	320+	5 Boxes
0-06-38060-05058-3	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-86824-2	50 discs per box	6 in	12,000	80+	5 Boxes
0-00-51125-86825-9	50 discs per box	6 in	12,000	120+	5 Boxes
0-00-76308-64259-4	50 discs per box	6 in	12,000	150+	5 Boxes
0-00-76308-64265-5	50 discs per box	6 in	12,000	180+	5 Boxes
0-00-76308-64271-6	50 discs per box	6 in	12,000	220+	5 Boxes
0-00-76308-47098-2	50 discs per box	6 in	12,000	240+	5 Boxes
0-00-76308-47082-1	50 discs per box	6 in	12,000	320+	5 Boxes
0-06-38060-05059-0	50 discs per box	6 in	12,000	400+	5 Boxes

# Discs and Back-up Pads

## Film Discs (cont.)



### 3M™ Trizact™ Hookit™ Clear Coat Sanding Disc 471LA

3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA is ideal for spot repairs, including leveling dust nibs and orange peel, before sand scratch removal. Microreplicated 3-D mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent repair and longer disc life. Film-backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-40-46719-90733-5	25 discs per carton	6 in	P1500	4 Cartons



### 3M™ Hookit™ Purple Finishing Film Disc 260L

The 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L features an updated coating that levels surface defects on clear coat and greatly reduces pigtails. Aluminum oxide abrasive cuts fast, lasts a long time, resists loading with or without hole pattern designs and leaves a consistent, easy-to-polish finish. The 3M™ Hookit™ attachment system makes disc change-outs fast and easy.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-30567-0	50 discs per carton	5 in	P1500	4 Cartons
0-00-51131-30566-3	50 discs per carton	5 in	P2000	4 Cartons
0-00-51131-30667-7	50 discs per carton	6 in	P1500	4 Cartons
0-00-51131-30666-0	50 discs per carton	6 in	P2000	4 Cartons



### 3M™ Trizact™ Hookit™ Foam Disc

The 3M™ Trizact™ Hookit™ Foam Abrasive Disc removes fine sand scratches on painted surfaces to reduce the amount of time spent compounding. Three-dimensional mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent finishes, longer disc life and reduced material costs. Foam backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-02096-2	15 discs per carton	5 in	P3000	4 Boxes
0-00-51131-30562-5	15 discs per carton	5 in	P5000	4 Boxes
0-00-51131-30805-3	15 discs per carton	5 in	P8000	4 Boxes
0-00-51131-02085-6	15 discs per carton	6 in	P3000	4 Boxes
0-00-51131-30662-2	15 discs per carton	6 in	P5000	4 Boxes
0-00-51131-30806-0	15 discs per carton	6 in	P8000	4 Boxes

## Back-up Pads



### 3M™ Stikit™ Low Profile Finishing Disc Pad

The 3M™ Stikit™ Low Profile Finishing Disc Pad is a soft density backup pad in 5- or 6-inch diameters for 5- and 6-inch abrasive discs. The soft density foam provides additional conformability and is ideal for final surface finishing applications following leveling and blending process steps.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51131-05545-2	5 in x 1/16 in x 3/16 in—24 EXT	Low Profile Finishing	10,000	12,000	10 Each
0-00-51131-05546-9	6 in x 1/16 in x 3/16 in—24 EXT	Low Profile Finishing	10,000	12,000	10 Each



### 3M™ Stikit™ Low Profile Disc Pad

3M™ Stikit™ Low Profile Disc Pad provides secure attachment for a 3M™ Stikit™ Disc (sold separately) on a random orbital sander or other rotary tool. This lightweight, shock-resistant backup pad is constructed of firm density foam for sanding flat surfaces, and has a tapered edge for applications where some flexibility is needed.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20351-5	5 in x 3/8 in x 3/16 in—24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each
0-00-51141-20354-6	6 in x 3/8 in x 3/16 in—24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each

# Discs and Back-up Pads

## Back-up Pads (cont.)



### 3M™ Hookit™ Low Profile Finishing Disc Pad

The 3M™ Hookit™ Low Profile Finishing Disc Pad is a soft density backup pad in 5- or 6-inch diameters for 5- and 6-inch abrasive discs. The soft density foam provides additional conformability and is ideal for final surface finishing applications following leveling and blending process steps.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51144-77855-3	5 in x 1/8 in x 1/8 in-24 EXT	Low Profile Finishing	12,000	12,000	10 Each



### 3M™ Hookit™ Clean Sanding Low Profile Finishing Disc Pad

3M™ Hookit™ Clean Sanding Low Profile Finishing Disc Pad is constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces where dust evacuation is needed. Use this disc pad with grades 220 and higher 3M™ Clean Sanding or 3M™ Hookit™ D/F discs (sold separately).


UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20290-7	5 in x 1/8 in x 1/8 in-24 EXT	44 Holes, Low Profile Finishing	12,000	12,000	10 Each
0-00-51141-20425-3	6 in x 1/8 in x 1/8 in-24 EXT	53 Holes, Low Profile Finishing	12,000	12,000	10 Each



### 3M™ Hookit™ Low Profile Disc Pad

3M™ Hookit™ Low Profile Disc Pad is firm yet flexible to give you versatility for flat sanding applications. Use this disc pad with coarse grades where good leveling is needed. This innovative pad is constructed of firm density foam with a 35 degree tapered edge and is ideal for aggressive flat sanding operations.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20352-2	5 in x 3/8 in x 3/8 in-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each
0-00-51141-20355-3	6 in x 3/8 in x 3/8 in-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each



### 3M™ Hookit™ Clean Sanding Low Profile Disc Pad

3M™ Hookit™ Clean Sanding Low Profile Disc Pads are firm yet flexible to provide versatility for flat sanding applications and are designed to securely hold a 3M™ Hookit™ Clean Sanding Disc on a random orbital sander (discs sold separately). Use this disc pad with coarse grades where good leveling is needed.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20353-9	5 in x 3/8 in x 3/8 in-24 EXT	44 Holes, Red Foam, Low Profile Finishing	12,000	12,000	10 Each
0-00-51141-20356-0	6 in x 3/8 in x 3/8 in-24 EXT	52 Holes, Red Foam, Low Profile Finishing	12,000	12,000	10 Each



### 3M™ Hookit™ Clean Sanding Painter's Backup Pad

The 3M™ Hookit™ Clean Sanding Painter's Back-up Pad is excellent for auto body painting jobs such as following contours and sanding close to edges, while maximizing dust extraction. This soft density foam pad features a clean sanding 6-hole pattern for effective dust evacuation with 6-hole discs. 3M™ Hookit™ attachment makes disc change-out fast and easy, maximizing disc life.

UPC	Size	Case Qty/Units
0-00-51131-05858-3	5 in	10 Each
0-00-51131-05551-3	6 in	10 Each



### 3M™ Hookit™ Soft Interface Pad

This soft density foam 3M™ Hookit™ Soft Interface Pad adds cushion and conformability to 3M Hookit™ back-up pads for auto body sanding applications requiring precision across uneven surfaces. It increases abrasive cut and enables more consistent contact of abrasive discs around surface contours, plus the pad allows closer sanding to edges for smoother, more refined finishes.

UPC	Size	Case Qty/Units
0-00-51131-05777-7	6 in x 1/2 in x 3/4 in	10 Each

# Buffing Pads and Adaptor

## Buffing Pads



### 3M™ Perfect-It™ Wool Compound Pad

The 3M™ Perfect-It™ Wool Compound Pad is 3M's highest performing wool compounding pad. This 100% wool product aggressively removes clearcoat scratches with smooth, controlled rotary action. Run the pad on a rotary buffer/polisher and use it in combination with 3M™ Perfect-It™ EX Rubbing Compounds for a complete system that excels at sand scratch removal and correction.


UPC	Size	Color	Case Qty/ Units
0-00-51131-05753-1	9 in	White	6 Each



### 3M™ Perfect-It™ Wool Polishing Pad

The 3M™ Perfect-It™ Wool Polishing Pad combines fast cut and a fine finish when removing compound swirl marks and fine paint defects. Quick Connect attachment makes for fast, easy centering and allows for quick changeouts. This pad is part of our Perfect-It™ Paint Finishing System, signifying 3M's highest performing double-sided wool-blend pad.

UPC	Size	Color	Case Qty/ Units
0-00-51131-05754-8	9 in	Yellow	6 Each



### 3M™ Perfect-It™ Foam Compounding Pad

The 3M™ Perfect-It™ Foam Compounding Pads are 3M's highest-performing foam compounding pads for refining sand scratches, slow-speed polishing, denibbing and more. Foam face pattern provides more surface contact, holds compound better and reduces slinging. Doubled-sided pads work with 3M™ Quick Connect Adaptors on rotary polishers; double-sided pads work with the 3M™ Hookit™ system for easy change-outs.


UPC	Size	Color	Case Qty/ Units
0-00-51131-05706-7	8 in	White	6 Each



### 3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a soft foam buffing pad used to buff out fine scratches created from compounding steps. The waffle face gives you greater surface contact area than flat surface pads over contoured surfaces, minimizes heat buildup during buffing and helps eliminate swirl marks. It also helps the pad hold the polish and reduce slinging.

UPC	Size	Color	Case Qty/ Units
0-00-51131-05707-4	8 in	Black	6 Each



### 3M™ Perfect-It™ Ultrafine Polishing Pad

The 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.

UPC	Size	Color	Case Qty/ Units
0-00-51131-05708-1	8 in	Blue	6 Each

## Adaptor



### 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adaptor makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. This heavy-duty adaptor saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.

UPC	Size	Case Qty/ Units
0-00-51131-05752-4	5/8 in	10 Each

# Power Tools



## 3M™ Elite Non-Vacuum Random Orbital Sander

The 3M™ Elite Non-Vacuum Random Orbital Sanders combine durable, lightweight construction and operator ergonomics around a powerful precision-balanced motor for professional performance and a swirl-free finish, great for high-production industrial environments where dust extraction is not required. 3M™ Stikit™ disc pad included.

UPC	Tool Dia.	Orbit Dia.	Motor (HP)	Max RPM	Noise Level dBA (power)	Airflow Rate	Case Qty/Units
0-00-51141-28497-2	5 in	3/16 in	0.28	12,000	74 (85)	17 SCFM	1 Each



## 3M™ Elite Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sanders feature a self-generated vacuum (SGV) and deliver professional, dust-free performance and a swirl-free finish, hour after hour in high-production industrial environments where dust extraction is required.

UPC	Tool Dia.	Orbit Dia.	Motor (HP)	Max RPM	Noise Level dBA (power)	Airflow Rate	Case Qty/Units
0-00-51141-28514-6	5 in	3/16 in	0.28	12,000	86 (97)	17 SCFM	1 Each
0-00-51141-28516-0	6 in	3/16 in	0.28	12,000	89 (100)	17 SCFM	1 Each



## 3M™ Mini Random Orbital Nib Sander 20244

The 3M™ Mini Random Orbital Nib Sander 20244 is a small, powerful tool for sanding small defects in painted surfaces. This lightweight 1 1/4" diameter mini sander features a low-profile design that's ideal for sanding small areas instead of entire panels. A one-piece shaft balancer system reduces vibration. Sander works with 3M™ Roloc™ and 3M™ Stikit™ attachment systems for fast, easy pad and disc change-outs.

UPC	Size	Orbit Dia.	Max RPM	Case Qty/Units
0-00-51141-20244-0	1 1/4 in x 3/16 in	3/16 in	8,000	1 Each



# Adhesive Sealants, Aerosol and Structural Adhesives

## Adhesive Sealants



### 3M™ Adhesive Sealant 760 UV

3M™ Adhesive Sealant 760 UV is a single-component, moisture-curing, elastomeric, isocyanate-free adhesive sealant that offers exceptional UV resistance and long term durability when exposed to the elements. This sealant is permanently elastic and is capable of bonding dissimilar materials, offering long-lasting bonds and design flexibility.

UPC	Size	Tensile Strength	Color	Case Qty/ Units
0-00-48011-62817-2	290mL Cartridge	440 psi	Black	12 Each
0-00-48011-62819-6	290mL Cartridge	440 psi	Gray	12 Each
0-00-48011-62815-8	290mL Cartridge	440 psi	White	12 Each
0-00-48011-62818-9	600 mL Sausage Pack	440 psi	Black	12 Each
0-00-48011-62820-2	601 mL Sausage Pack	440 psi	Gray	12 Each
0-00-48011-62816-5	602 mL Sausage Pack	440 psi	White	12 Each
0-00-76308-86891-8	5 Gallon Drum	440 psi	Black	1 Each

## Aerosol Adhesives



### 3M™ Hi-Tack Composite Spray Adhesive 71

3M™ Hi-Tack Composite Spray Adhesive 71 is a high tack spray adhesive ideal for use in a wide variety of composite production applications. Featuring fast tack and high strength with excellent shear holding power, it will bond fiber, fabric, wood and much more. Available in clear, or in green for better visual control, this adhesive meets CARB and OTC VOC requirements.

UPC	Size	Net Wt.	Dry Time	Color	Case Qty/ Units
0-00-76308-14327-5	24 fl oz	18.04 oz	15 - 60 Sec.	Clear	12 Cans
0-00-76308-14329-9	24 fl oz	18.04 oz	15 - 60 Sec.	Green	12 Cans
0-06-38060-14505-0	Large Cylinder	30.0 lb	15 - 60 Sec.	Clear	1 Each
0-06-38060-14506-7	Large Cylinder	30.0 lb	15 - 60 Sec.	Green	1 Each

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.

## Structural Adhesives



### 3M™ Scotch-Weld™ Multi-Material Composite Urethane Adhesive DP6310NS

3M™ Scotch-Weld™ Multi-Material Composite Urethane Adhesive DP6310NS is a multi-purpose urethane adhesive for bonding a variety of composites, plastics, metals and wood. It is a high-strength bonder with some flexibility to accommodate thermal expansion and contraction differences with dissimilar material bonding. It can replace rivets and screws in attaching composites to other substrates, providing a more aesthetically-pleasing, fatigue-resistant bond line. It also bonds well to most metals without requiring priming. Mixed work life at 72°F is approximately 9 minutes.

UPC	Size	Description	Mix Ratio	Case Qty/ Units
0-00-76308-86407-1	48.5 mL	-	1:1	12 Each
0-00-76308-86398-2	400 mL	-	1:1	6 Each
0-00-76308-86782-9	5 gal	Part A	1:1	1 Each
0-00-76308-86748-5	5 gal	Part B	1:1	1 Each
0-00-76308-86783-6	50 gal	Part A	1:1	1 Each
0-00-76308-86749-2	50 gal	Part B	1:1	1 Each

# Body Fillers



## 3M™ Platinum™ Select Filler

3M™ Platinum™ Select Filler features a super creamy formula that greatly reduces pinholes, and reduces primer usage up to 30% vs. traditional lightweight body fillers. It delivers extreme adhesion to properly prepared steel, galvanized steel, aluminum, e-coat, SMC, FRP and more. Filler is stain free and tack free, ideal for nearly all base coat/clear coat and waterborne paint systems.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51131-31131-2	1 gal	-	20 min	Light Lavender	4 Cans
0-00-51131-31130-5	3 gal	Mechanical Pail	20 min	Light Lavender	1 Drum
0-00-51131-31128-2	5 gal	Mechanical Pail	20 min	Light Lavender	1 Drum



## 3M™ Platinum™ Plus Filler

3M™ Platinum™ Plus Filler is a premium gold colored body filler that offers excellent surface adhesion to properly prepared steel, galvanized steel, aluminum, e-coat, SMC and FRP, concrete and wood substrates.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51593-01131-7	1 gal	-	20 min	Gold	4 Cans
0-00-51131-31125-1	3 gal	Mechanical Pail	20 min	Gold	1 Pail
0-00-51131-31139-8	5 gal	Mechanical Pail	20 min	Gold	1 Can



## 3M™ Quick Grip Filler

3M™ Quick Grip Filler is an extra fast, easily sandable body filler that adheres rapidly to most substrates including galvanized steel, aluminum, e-coat and many more. This creamy, easy-to-spread filler is vacuum processed to reduce pinholes and sands to a fine featheredge without loading abrasives. It cures in 15 minutes at 75°F, and sands to a stain-resistant, tack-free finish.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51131-33177-8	1 qt	-	15 min	Gray	12 Cans
0-00-51131-33181-5	1 gal	-	15 min	Gray	4 Cans
0-00-51131-33185-3	5 gal	Mechanical Pail	15 min	Gray	1 Can



## 3M™ Marine Premium Filler

3M™ Marine Premium Filler repairs defects in fiberglass, wood, aluminum and steel for applications both above and below the waterline. Our filler is a unique vinyl ester formula that offers resistance to water absorption.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-46004-1	1 pint	30 min	Blue	6 Each
0-00-51131-46005-8	1 qt	30 min	Blue	6 Each
0-00-51131-46006-5	1 gal	30 min	Blue	4 Each



## 3M™ Milled Fiberglass Body Filler

3M™ Milled Fiberglass Body Filler features short-strand chopped and milled fiberglass, making it an excellent reinforcement for repairing holes, cracks and tears in fiberglass as well as metal and SMC. Ideal for automotive and marine repair, this waterproof fiberglass body filler features a 2-part high-resin formula that delivers smooth spreading, excellent sag resistance and bond gapping.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-05815-6	1 qt	20 min	Red	6 Cans
0-00-51131-05816-3	1 gal	20 min	Red	4 Cans

# Repair Adhesives, Glazes and Waxes

## Repair Adhesives



### 3M™ Marine High Strength Repair Filler

3M™ Marine High Strength Repair Filler restores damaged areas of fiberglass hulls, decks and other areas on boats. Our filler is a high performance product that is reinforced with short strands of fiberglass for added strength. Boat restoration professionals commonly use this product.

UPC	Size	Dry Time	Color	Case Qty/ Units
0-00-51131-46012-6	1 pint	30 min	Red	6 Each
0-00-51131-46013-3	1 qt	30 min	Red	6 Each
0-00-51131-46014-0	1 gal	30 min	Red	4 Each

## Glazes



### 3M™ Platinum™ Plus Glaze

3M™ Platinum™ Plus Glaze is a two-part premium self-leveling finishing glaze that can repair minor imperfections on properly prepared substrates such as galvanized steel, steel, aluminum, fiberglass, wood, SMC, e-coat, OEM topcoats, cured/sanded epoxy and urethane primers. This finishing glaze cuts the sanding time to as little as 15 minutes.

UPC	Size	Description	Dry Time	Color	Case Qty/ Units
0-00-51593-03180-3	24 fl oz	Squeeze-tube	20 min	Mint Green	6 Each
0-00-51131-31180-0	30 oz	Pump	20 min	Mint Green	6 Each



### 3M™ Platinum™ Glaze

3M™ Platinum™ Glaze is a stain-free, tack-free premium polyester glazing and finishing putty for filling and repairing surface imperfections on automobiles, industrial and architectural surfaces. This putty offers excellent adhesion to steel, galvanized steel, aluminum, e-coat and SMC.

UPC	Size	Description	Dry Time	Color	Case Qty/ Units
0-00-51593-12011-8	24 fl oz	Squeeze-tube	20 min	Blue/White	6 Each

## Waxes



### 3M™ Perfect-It™ Boat Wax

3M™ Perfect-It™ Boat Wax is the final, brilliant step in achieving a truly professional marine finish. Its blend of pure Brazilian carnauba wax, silicones, polymers and resins brings out an extraordinary gloss and provides durability against the elements. The liquid wax formula is easy to apply and remove even on warm surfaces, and is safe for gelcoat, paint, fiberglass and metal.

UPC	Size	Color	Case Qty/ Units
0-00-51131-36113-3	1 qt	Light Yellow	6 Bottles

# Polishing Compounds and Application Accessories

## Polishing Compounds



### 3M™ Perfect-It™ EX Rubbing Compound

3M™ Perfect-It™ EX Rubbing Compound is 3M's best-performing rubbing compound for removing P1200+ sand scratches and surface defects in auto surfaces before polishing. It is formulated to perform in all conditions, including high heat and humidity, without sticking to panels or leaving film residue. It delivers a longer working time, yet still reduces sling for easier cleanup in collision repair.

UPC	Size	Color	Case Qty/ Units
0-00-51131-36060-0	1 qt	White	6 Bottles
0-00-51131-36061-7	1 gal	White	4 Each



### 3M™ Perfect-It™ EX Machine Polish

3M™ Perfect-It™ EX Machine Polish is the highest-performing machine polish 3M has ever introduced for removing compound swirl marks in collision repair. It stays wet longer, letting you use less polish for the same refined finish. Yet it also holds better on the pad for reduced sling and easier cleanup. You get smooth, polished surfaces without compound swirl marks — faster, and at less cost.

UPC	Size	Color	Case Qty/ Units
0-00-51131-06094-4	1 qt	Black	6 Bottles



### 3M™ Perfect-It™ EX Ultrafine Machine Polish

3M™ Perfect-It™ EX Ultrafine Machine Polish quickly and completely removes ultrafine swirl marks, even on difficult dark-colored vehicles. It stays wet longer, letting you use less material for a refined finish. Yet it also holds better on the pad for reduced sling and faster cleanup. You get polished surfaces without machine polish swirl marks — all at lower material costs and process times.

UPC	Size	Color	Case Qty/ Units
0-00-51131-06068-5	1 qt	Blue	6 Bottles



### 3M™ Perfect-It™ Gelcoat Heavy Cutting Compound

Our 3M™ Perfect-It™ Gelcoat Heavy Cutting Compound restores the lustrous beauty of boats by eliminating oxidation, scratches, scuff marks and other surface blemishes from gelcoat. Our fastest-cutting product for gelcoat, this compound removes P800 and finer scratches and leaves a high gloss finish ideal for cutting polish and wax.

UPC	Size	Color	Case Qty/ Units
0-00-51131-36103-4	1 gal	White	4 Each
0-00-51131-36104-1	5 gal	White	1 Each



### 3M™ Marine High Gloss Gelcoat Compound

Marine High Gloss Gelcoat Compound quickly removes P600 dual action or P1000 wet sanding scratches from production gelcoat. Our compound produces a high gloss finish. This gelcoat compound restores boats to a shiny, glistening appearance that sparkles in the sunlight.

UPC	Size	Color	Case Qty/ Units
0-00-51131-06025-8	1 gal	White	4 Each

# Polishing Compounds and Application Accessories

## Polishing Compounds (cont.)



### 3M™ Marine Compound and Finishing Material

3M™ Marine Compound and Finishing Material removes scratches, oxidation, stains, swirl marks and other blemishes that are robbing your boat of its beauty. Our “two-in-one” compound and polish eliminates common imperfections from fiberglass and marine gelcoats. Boats look stunning with refreshed high gloss exteriors when compounded and finished with our special formula.

UPC	Size	Color	Case Qty/Units
0-00-51131-06044-9	1 qt	White	12 Bottles
0-00-51131-06045-6	1 gal	White	4 Each
0-00-51131-06046-3	5 gal	White	4 Each



### 3M™ Compound and Finishing Material

3M™ Compound and Finishing Material is designed to remove P800 and finer sand scratches from gelcoat and tooling gel surfaces. Use this fast cutting compound with a 3M wool compounding pad on an air or electric polisher.

UPC	Size	Color	Case Qty/Units
0-00-51131-36044-0	1 qt	White	12 Bottles
0-00-51131-36045-7	1 gal	White	4 Each



### 3M™ Premium Mold and Tooling Compound

3M™ Premium Mold and Tooling Compound removes sanding scratches in tooling gelcoat. The fast cut formulation reduces compounding time.

UPC	Size	Color	Case Qty/Units
0-00-51131-06027-2	1 gal	Red	4 Each

## Application Accessories



### 3M™ Disposable Paper Mixing Board

Our 3M™ Disposable Paper Mixing Board is a clean, cost effective solution for auto body professionals who regularly mix filler. Unlike cardboard, these 10 inch x 13 inch paper sheets are non porous and won't react with solvents common in many body fillers. This means no contamination of the filler. When mixing is done, simply tear the sheet off for a fresh mixing surface to save clean up time.

UPC	Packaging	Size	Color	Case Qty/Units
0-00-51593-20382-8	100 sheets per board	10 in x 13 in	White	12 Each



### Dynatron™ Yellow Spreader

Dynatron™ Yellow Spreader helps smooth body fillers, putties and glazes being used in the automotive repair process. The spreader smooths out auto body repair products so they are flush with the repair area.

UPC	Packaging	Size	Color	Case Qty/Units
0-00-76308-00344-9	Bulk	3 in x 4 in	Yellow	144 Each
0-00-76308-00354-8	Bulk	3 in x 5 in	Yellow	144 Each

# Surface Protection and Masking

## Dirt Trap Material



### 3M™ Dirt Trap Protection Material

3M™ Dirt Trap Nonwoven Protection Material is a specially engineered covering material that protects and brightens paint booth walls and floors. Nonwoven construction traps dust and overspray and its bright white color creates better visibility for technicians. Low tack adhesive backing keeps it secure, smooth and wrinkle free.

UPC	Size	Description	Color	Case Qty/Units
0-00-51131-36849-1	4 in x 300 ft	-	White	6 Rolls
0-00-51131-36850-7	6 in x 300 ft	-	White	4 Rolls
0-00-51131-36851-4	14 in x 300 ft	-	White	1 Roll
0-00-51131-36852-1	28 in x 300 ft	-	White	1 Roll
0-00-51131-36853-8	56 in x 300 ft	-	White	1 Roll
0-00-51131-37852-0	28 in x 300 ft	-	Gray	1 Roll
0-00-51131-37853-7	56 in x 300 ft	-	Gray	1 Roll
0-00-51131-36856-9	18 in x 100 ft	-	Clear	1 Roll
0-00-51131-36862-0	-	Magnetic metal dispenser for 28" wide material	Red	1 Each
0-00-51131-36866-8	-	Extendable, wall applicator for 28" wide material	Red	1 Each
0-00-51131-36865-1	-	Versatile, floor applicator for 28" wide material	Red	1 Each
0-00-51131-36864-4	-	Versatile, floor applicator for 56" wide material	Red	1 Each



### 3M™ Self-Stick Liquid Protection Fabric

3M™ Self-Stick Liquid Protection Fabric is ideal for a wide range of temporary surface protection in industrial settings. Its liquid-proof layer protects work surfaces from water, oils, solvents and more. Its nonwoven surface traps dirt, dust and debris and prevents them from spreading through the facility. Its adhesive backing keeps it securely in place and removes without residue.

UPC	Size	Color	Case Qty/Units
0-00-51131-36876-7	4 in x 300 ft	Blue	6 Rolls
0-00-51131-36877-4	6 in x 300 ft	Blue	4 Rolls
0-00-51131-36878-1	14 in x 300 ft	Blue	1 Roll
0-00-51131-36879-8	28 in x 300 ft	Blue	1 Roll
0-00-51131-36880-4	36 in x 300 ft	Blue	1 Roll
0-00-51131-36881-1	48 in x 300 ft	Blue	1 Roll
0-00-51131-36882-8	56 in x 300 ft	Blue	1 Roll

## Protective Films and Sheeting



### 3M™ Moisture Resistant Protective Sheeting

3M™ Moisture Resistant Protective Sheeting is designed to reduce moisture staining in higher-temp drying applications. It provides fast single-person application for reduced overspray-related rework. Film can be used in IR dryers at temps up to 248°F/120°C, helping eliminate dampness. Translucent film is easy to apply, reposition and cut. A light static cling keeps it in place without adhesives.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06725-7	16 ft x 250 ft	0.65 mil	Purple	1 Roll



### 3M™ Plastic Sheeting

Wide plastic sheeting engineered with static cling, 3M™ Plastic Sheeting enables one person to quickly and efficiently mask a surface. The clear, high density film provides effective paint protection and is tear-resistant yet easy to cut around the work area. Specially treated for high paint adhesion, the sheeting effectively captures paint overspray to prevent contaminating the repair.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06723-3	12 ft x 400 ft	0.3 mil	Transparent	1 Roll
0-00-51131-06724-0	16 ft x 400 ft	0.3 mil	Transparent	1 Roll

# Surface Protection and Masking

## Protective Films and Sheeting (cont.)



### 3M™ Overspray Protective Sheeting

3M™ Overspray Protective Sheeting is a paintable, high density and tear-resistant translucent film for critical edge masking as well as for paint overspray. Overspray protective sheeting comes in a variety of sizes to protect various types of vehicles, including cars, vans, sport utility vehicles and trucks.

UPC	Size	Thickness	Color	Case Qty/ Units
0-00-51131-06727-1	12 ft x 400 ft	0.4 mil	Transparent	1 Roll
0-00-51131-06728-8	16 ft x 400 ft	0.4 mil	Transparent	1 Roll
0-00-51131-06742-4	20 ft x 250 ft	0.4 mil	Transparent	1 Roll

## Masking Paper



### 3M™ Scotchblok™ Masking Paper

3M™ Scotchblok™ Masking Paper blocks solvents used in today's gelcoats and paints from soaking through and contaminating underlying surfaces. This tightly bonded, specially coated masking paper offers excellent resistance to paint solvents, urethanes, base coats and clear coats. This product was specifically made to meet the unique needs of automotive aftermarket applications.

UPC	Size	Thickness	Color	Case Qty/ Units
0-00-51131-06732-5	12 in x 180 ft	2 mil	Gold	12 Rolls
0-00-51131-06738-7	18 in x 180 ft	2 mil	Gold	12 Rolls
0-00-51131-06706-6	6 in x 750 ft	2 mil	Gold	6 Rolls
0-00-51131-06712-7	12 in x 750 ft	2 mil	Gold	3 Rolls
0-00-51131-06718-9	18 in x 750 ft	2 mil	Gold	2 Rolls
0-00-51131-06736-3	36 in x 750 ft	2 mil	Gold	1 Roll

### Scotch® Steel Gray Masking Paper

Scotch® Steel Gray Masking Paper is an ideal material for paint masking. It is strong, flexible and pliable, and it's available in a variety of sizes to cover a range of surface shapes. The masking paper is also specially treated to resist penetration by solvents, lacquers and enamels and withstands bake cycles up to 400°F (204°C) for 1 hour.

UPC	Size	Thickness	Color	Case Qty/ Units
0-00-21200-06506-4	6 in x 1,000 ft	2.8 mil	Gray	6 Rolls
0-00-21200-06512-5	12 in x 1,000 ft	2.8 mil	Gray	3 Rolls
0-00-21200-06518-7	18 in x 1,000 ft	2.8 mil	Gray	2 Rolls
0-00-21200-06524-8	24 in x 1,000 ft	2.8 mil	Gray	1 Roll
0-00-21200-06536-1	36 in x 1,000 ft	2.8 mil	Gray	1 Roll
0-00-21200-55491-9	48 in x 1,000 ft	2.8 mil	Gray	1 Roll

### 3M™ White Masking Paper

3M™ White Masking Paper is specially treated to resist heat from paint booths and penetration by paint solvents, urethanes, base coats and clear coats. It is tightly bonded, virtually eliminating lint or fiber contamination that can occur using paper masking. And its thin but conformable construction makes it easy to handle, boosting shop efficiency.

UPC	Size	Thickness	Color	Case Qty/ Units
0-00-51131-06537-6	6 in x 750 ft	1.5 mil	White	6 Rolls
0-00-51131-06538-3	12 in x 750 ft	1.5 mil	White	3 Rolls
0-00-51131-06539-0	18 in x 750 ft	1.5 mil	White	2 Rolls
0-00-51131-06540-6	36 in x 750 ft	1.5 mil	White	1 Roll
0-00-51131-06531-4	60 in x 750 ft	1.5 mil	White	1 Roll

# Coveralls



## 3M™ Disposable Protective Coverall 4510

The 3M™ Disposable Protective Coverall 4510 is disposable safety work wear made of a high quality microporous laminated material. It helps provide basic barrier protection against light liquid splashes and hazardous dusts.

UPC	Product ID	Size	Color	Case Qty/ Units
0-00-51131-49788-7	4510-BLK-M	M	White	25 Each
0-00-51131-49789-4	4510-BLK-L	L	White	25 Each
0-00-51131-49790-0	4510-BLK-XL	XL	White	25 Each
0-00-51131-49791-7	4510-BLK-XXL	XXL	White	25 Each
0-00-51131-49792-4	4510-BLK-3XL	3XL	White	25 Each
0-00-51131-49793-1	4510-BLK-4XL	4XL	White	25 Each



## 3M™ Disposable Protective Coverall 4515

The 3M™ Disposable Protective Coverall 4515 is disposable safety work wear made of lightweight, breathable polypropylene. Suitable for various applications, it helps provide basic barrier protection against certain light liquid splashes and hazardous dusts.

UPC	Product ID	Size	Color	Case Qty/ Units
0-40-46719-46711-2	4515-M-White	M	White	20 Each
0-40-46719-46713-6	4515-L-White	L	White	20 Each
0-40-46719-46716-7	4515-XL-White	XL	White	20 Each
0-40-46719-46718-1	4515-2XL-White	XXL	White	20 Each
0-40-46719-46720-4	4515-3XL-White	3XL	White	20 Each
0-40-46719-46722-8	4515-4XL-White	4XL	White	20 Each
0-40-46719-46726-6	4515-M-Blue	M	Blue	20 Each
0-40-46719-46728-0	4515-L-Blue	L	Blue	20 Each
0-40-46719-46730-3	4515-XL-Blue	XL	Blue	20 Each
0-40-46719-46732-7	4515-2XL-Blue	XXL	Blue	20 Each
0-40-46719-46734-1	4515-3XL-Blue	3XL	Blue	20 Each
0-40-46719-46736-5	4515-4XL-Blue	4XL	Blue	20 Each



## 3M™ Disposable Protective Coverall 4520

3M™ Disposable Protective Coverall Safety Work Wear 4520 helps protect against certain light liquid splashes and hazardous dusts. This coverall offers a hooded option for protection of the head and neck. Advanced, breathable and lightweight materials help reduce heat build-up and promote comfortable wear.

UPC	Product ID	Size	Color	Case Qty/ Units
0-40-46719-63263-3	4520-BLK-M	M	White	25 Each
0-40-46719-63264-0	4520-BLK-L	L	White	25 Each
0-40-46719-63266-4	4520-BLK-XL	XL	White	25 Each
0-40-46719-63267-1	4520-BLK-XXL	XXL	White	25 Each
0-40-46719-63268-8	4520-BLK-3XL	3XL	White	25 Each
0-40-46719-63274-9	4520-BLK-4XL	4XL	White	25 Each

# Coveralls



## 3M™ Disposable Protective Coverall 4535

The 3M™ Disposable Protective Coverall 4535 is disposable safety work wear made of a high quality laminated material with a large breathable back panel for improved air circulation. It helps provide barrier protection against light liquid splashes and hazardous dusts.

UPC	Product ID	Size	Color	Case Qty/ Units
0-40-46719-46817-1	4535-M	M	White	20 Each
0-40-46719-46822-5	4535-L	L	White	20 Each
0-40-46719-46824-9	4535-XL	XL	White	20 Each
0-40-46719-46826-3	4535-XXL	XXL	White	20 Each
5-00-51141-55879-5	4535-3XL	3XL	White	20 Each
5-00-51141-55880-1	4535-4XL	4XL	White	20 Each



## 3M™ Disposable Protective Coverall 4540

3M™ Disposable Protective Coverall Safety Work Wear 4540+ helps protect against certain light liquid splashes and hazardous dusts, including nuclear particles. This coverall offers a hooded option for protection of the head and neck. Advanced, breathable and lightweight materials help reduce heat build-up and promote comfortable wear.

UPC	Product ID	Size	Color	Case Qty/ Units
0-00-51131-49806-8	4540+BLK-M	M	White	25 Each
0-00-51131-49807-5	4540+BLK-L	L	White	25 Each
0-00-51131-49808-2	4540+BLK-XL	XL	White	25 Each
0-00-51131-49809-9	4540+BLK-XXL	XXL	White	25 Each
0-00-51131-49810-5	4540+BLK-3XL	3XL	White	25 Each
0-00-51131-49811-2	4540+BLK-4XL	4XL	White	25 Each



⚠ See important warnings for these products on p. 38.

# Eye Protection

## Safety Glasses



### 3M™ SecureFit™ Protective Eyewear SF400SGAF and SF400XSGAF

3M™ SecureFit™ Protective Eyewear, 400 Series features soft adjustable nose pads, dual injected temples, and proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
1-00-78371-66211-7	SF401AF	Clear	Anti-Fog	Clear	20 Each
5-00-51131-27475-9	SF401AF-FM*	Clear	Anti-Fog	Clear	20 Each

\*Foam gasket



### 3M™ SecureFit™ Protective Eyewear 600 Series

3M™ SecureFit™ Protective Eyewear 600 Series comes with a variety of features, because having options in protective eyewear can be critical. Workers can choose from several lens coating options, including 3M™ Scotchgard™ Anti-Fog, multiple lens colors, polarization, reader options, and features like a removable foam gasket that combines with Pressure Diffusion Temple (PDT) Technology to help create a secure and comfortable fit.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
5-00-51131-27337-0	SF601SGAF	Clear	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27340-0	SF601SGAF-FM*	Clear	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27338-7	SF602SGAF	Gray	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27341-7	SF602SGAF-FM*	Gray	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27339-4	SF603SGAF	Amber	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27342-4	SF607SGAF	Indoor/ Outdoor Gray	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27347-9	SF615SGAF	Clear +1.5	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27348-6	SF620SGAF	Clear +2.0	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27349-3	SF625SGAF	Clear +2.5	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27350-9	SF615GSGAF	Gray +1.5	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27351-6	SF620GSGAF	Gray +2.0	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27352-3	SF625GSGAF	Gray +2.5	Scotchgard™ Anti-Fog	Gray	20 Each
5-00-51131-27335-6	SF601RAS	Clear	Rugged Anti-Scratch	Gray	20 Each
5-00-51131-27336-3	SF602RAS	Gray	Rugged Anti-Scratch	Gray	20 Each
5-00-51131-27344-8	SF617AS	Low IR	Anti-Scratch	Gray	20 Each
5-00-51131-27345-5	SF630AS	Shade 3.0 IR	Anti-Scratch	Gray	20 Each
5-00-51131-27346-2	SF650AS	Shade 5.0 IR	Anti-Scratch	Gray	20 Each
5-00-51131-27353-0	SF611AS	Gray Polarized	Anti-Scratch	Gray	20 Each
5-00-51131-27354-7	SF613AS	Photochromic	Anti-Scratch	Gray	20 Each
5-00-51131-27355-4	SF600FI**	-	-	-	20 Each

\*With foam gasket.

\*\*Replacement foam gasket.

⚠ See important warnings for these products on p. 38.

Products on this page meet the requirements of CSA Z94.3 and are Impact Rated to ANSI Z87.1-2015.

# Eye Protection

## Safety Glasses (cont.)



### 3M™ Solus™ 1000-Series Safety Glasses

3M™ Solus™ 1000 Series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer — providing longer lasting fog resistance than traditional anti-fog coatings.\* Removable temples enable the use of the optional strap. Optional foam gasket helps reduce eye exposure. Available in several frame colors and lens tints.

UPC	Product ID	Lens	Coating	Description	Frame	Case Qty/ Units
5-00-51131-27186-4	S1101SGAF	Clear	Scotchgard™ Anti-Fog	-	Blue & Black	20 Each
5-00-51131-27189-5	S1101SGAF-KT	Clear	Scotchgard™ Anti-Fog	Foam gasket and strap	Blue & Black	20 Each
5-00-51131-27185-7	S1201SGAF-KT	Clear	Scotchgard™ Anti-Fog	Foam gasket and strap	Green & Black	20 Each

\*Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.



### 3M™ Virtua™ CCS Protective Eyewear

Comfortable, lightweight frame features the Cord Control System (CCS) with optional foam gasket attachment.

UPC	Product ID	Lens	Coating	Description	Frame	Case Qty/ Units
1-00-78371-11872-0	11872-00000-20	Clear	Anti-Fog	Foam gasket	Clear	20 Each

## Safety Goggles



### 3M™ GoggleGear™ 2890 Series

The 3M™ GoggleGear™ 2890 Series safety goggles feature a modern design, Scotchgard™ Anti-Fog lens coating, and they are suitable for a number of different applications where a comfortable goggle is required.

UPC	Product ID	Lens	Coating	Frame	Case Qty/ Units
5-00-51131-27437-7	GG2891-SGAF	Clear	Anti-Scratch & Scotchgard™ Anti-Fog	Gray	10 Each



### 3M™ GoggleGear™ 500 Series

3M™ GoggleGear™ 500 Series, Clear Scotchgard™ Anti-Fog Lens resists fogging longer than traditional anti-fog coatings,\* helping to keep vision clearer for workers on the job.

UPC	Product ID	Lens	Coating	Frame	Case Qty/ Units
5-00-51131-27455-1	GG501SGAF	Clear	Scotchgard™ Anti-Fog	Red & Black	10 Each

\*Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.

⚠ See important warnings for these products on p. 38.

Products on this page meet the requirements of CSA Z94.3 and are Impact Rated to ANSI Z87.1-2015.

# Head and Face Protection

## Hard Hats



### 3M™ Hard Hat H-700 Series with UVicator™ Sensor

3M™ Hard Hat H-700 Series with 4-Point Ratchet Suspension and UVicator™ Sensor is comfortable, tough and lightweight protective headgear that helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into. The UVicator™ sensor changes color as the hard hat is exposed to UV light. White.

UPC	Product ID	Faceshield Material	Case Qty/ Units
1-00-78371-65550-8	H-701R-UV	HDPE	20 Each



### 3M™ Full Brim Hard Hat H-800 Series with UVicator™ Sensor

3M™ Full Brim Hard Hat H-800 Series with 4-Point Ratchet Suspension and UVicator™ Sensor is comfortable, tough and lightweight protective headgear that helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into. The UVicator™ sensor changes color as the hard hat is exposed to UV light. White.

UPC	Product ID	Faceshield Material	Case Qty/ Units
1-00-78371-65797-7	H-801R-UV	HDPE	20 Each

## Hard Hat Accessories



### 3M™ Elevated Temperature Universal Faceshield Holder For Hard Hat H24T

3M™ Elevated Temperature Universal Faceshield Holder For Hard Hat H24T is designed to work with 3M™ H-700T series elevated temperature hard hats and can withstand radiant heat loads (exposures) up to 375°F. Easy-to-use system can be fitted with a range of visors that offer good balance, close fit and a secure flip-up — creating a convenient solution for face protection against a range of hazards. Also fits the 3M™ H-700 cap style hard hat. Does not interfere with cap mounted 3M earmuffs. Requires protective eyewear, sold separately. Black.

UPC	Product ID	Case Qty/ Units
5-00-51131-27510-7	H24T	10 Each

## Headgear and Accessories



### 3M™ Universal Headgear For Hard Hat H24M

Universal faceshield holder that can be used with most 3M™ Faceshields to help provide face protection. Designed to fit many cap style hard hats. Does not interfere with most cap-mounted ear muffs. Requires protective eyewear, sold separately. Blue.

UPC	Product ID	Faceshield Material	Case Qty/ Units
1-00-78371-82520-8	82520-10000	Aluminum	20 Each



### 3M™ Ratchet Headgear H8A

Ratchet headgear for use with any 3M™ Faceshield. High-strength thermoplastic crown provides impact resistance and face protection. Adjustable ratchet suspension with five position crown strap. Blue.

UPC	Product ID	Faceshield Material	Case Qty/ Units
1-00-78371-82501-7	82501-00000	Thermoplastic	10 Each

# Head and Face Protection

## Faceshields



### 3M™ Clear Propionate Faceshield W96

Standard size, molded Propionate faceshield helps provide splash resistance and face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Faceshield mounts inside headgear crown for added splash protection. Chemical Resistant. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82700-4	W96 82700-00000	9 in x 14.5 in x 0.08 in	Clear Propionate	10 Each



### 3M™ Clear Polycarbonate Faceshield WP96

Standard size, molded general purpose polycarbonate faceshield offers face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Requires protective eyewear, sold separately. Impact. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82701-1	WP96 82701-00000	9 in x 14.5 in x 0.08 in	Clear Polycarbonate	10 Each



### 3M™ Wide Clear PETG Faceshield WE96X

Wide, PETG faceshield helps provide splash resistance and face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Faceshield mounts inside headgear crown for added splash protection. Chemical Resistant. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82581-9	WE96X 82581-00000	9 in x 14.5 in x 0.08 in	Clear PETG, wide	25 Each



### 3M™ Aluminized Polycarbonate Molded Clear Faceshield Window

Clear faceshield protects against heat in high-heat applications and impact. Heat Resistant up to 266°F, Impact.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82504-8	WP96AL 82504-00000	9 in x 14.5 in x 0.08 in	Clear Aluminized Polycarbonate	10 Each



### 3M™ Polycarbonate Clear Faceshield Window WCP96

3M faceshields feature dual-coat technology that provides a durable, abrasion-resistant hard coat on the outside and an anti-fog coating on the inside. Made of durable, splash and impact-resistant polycarbonate. Impact. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82600-7	WCP96 82600-00000	9 in x 14.5 in x 0.08 in	Dual Coated Clear Polycarbonate	10 Each



### 3M™ Steel Mesh Faceshield Screen W96M and W96MW

Steel mesh screen faceshield helps provide ventilation and face protection for high-heat environments. Faceshield mounts quickly to appropriate 3M™ Headgear without tools, snaps or cams. Product ID WM96MW features eyeshield for increased visibility. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82506-2	W96M 82506-00000	9 in x 14.5 in	Steel Mesh Screen	10 Each
1-00-78371-82511-6	W96MW 82511-00000	9 in x 14.5 in	Steel Mesh Screen with Clear Acetate Eyeshield	10 Each



### 3M™ Gold-Coated Polycarbonate Clear Faceshield Window WCP96G

3M faceshields feature dual-coat technology that provides a durable, abrasion-resistant hard coat on the outside and an anti-fog coating on the inside. Made of durable, splash and impact-resistant polycarbonate. Heat Resistant up to 266°F, Impact. Clear.

UPC	Product ID	Size	Faceshield Material	Case Qty/Units
1-00-78371-82602-1	WCP96G 82602-00000	9 in x 14.5 in x 0.08 in	Dual Coated Gold Plated Clear Polycarbonate	10 Each

⚠ See important warnings for these products on p. 38.

# Hearing Protection

## Earplugs



### 3M™ Foam Earplugs

Soft, disposable foam earplugs feature a tapered design to fit comfortably in the ear canal. Smooth, dirt resistant surface.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
5-00-51138-29008-0	1100	Regular	Uncorded	29 dB	Orange	1,000 Pair
5-00-51138-29009-7	1110	Regular	Corded	29 dB	Orange	500 Pair



### 3M™ E-A-R™ Classic™ Earplugs

3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first disposable foam earplugs. Slow recovery, low pressure foam conforms to the unique shape of each ear for enhanced comfort and wearability.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-10000-6	310-1001	Regular	Uncorded	29 dB	Yellow	2,000 Pair
1-00-80529-10052-5	310-1103	Small	Uncorded	29 dB	Yellow	2,000 Pair
1-00-80529-11006-7	311-1110	Regular	Corded	29 dB	Yellow	600 Pair
1-00-80529-11001-2	311-1101	Regular	Corded	29 dB	Yellow	2,000 Pair
1-00-80529-11024-1	311-1106	Small	Corded	29 dB	Yellow	2,000 Pair



### 3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs have a smooth texture for in-ear comfort, are made of an advanced foam for all-day wear and are available in two sizes. Brightly colored for hearing protection compliance sighting, these earplugs are an excellent choice for any hearing conservation program.



UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-10065-5	310-1250	Regular	Uncorded	33 dB	Yellow	2,000 Pair
1-00-80529-11033-3	311-1250	Regular	Corded	33 dB	Yellow	2,000 Pair
1-00-80529-11042-5	311-4106	Regular	Corded, metal detectable	32 dB	Yellow	2,000 Pair



### 3M™ E-A-Rsoft™ Grippers™ Earplugs

3M™ E-A-Rsoft™ Grippers™ are disposable foam earplugs that feature unique grip rings to help create a soft seal. Popular with people with larger ear canals.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-12090-5	312-6001	Large	Corded	31 dB	Yellow	2,000 Pair



### 3M™ E-A-R™ EXPRESS™ Pod Plugs™ Earplugs

3M™ E-A-R™ Express™ Pod Plugs™ corded earplugs feature advanced “no-roll”, slow-recovery foam and assorted color grips. Paddle-style grips allow easy use and help keep earplug tips clean even when your hands are dirty.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-11011-1	311-1115	Small	Corded	25 dB	Assorted Colors	400 Pair
1-00-80529-11052-4	311-1127	Small	Corded, metal detectable	25 dB	Yellow/Blue	400 Pair

⚠ See important warnings for these products on p. 38.

\*See important warning on fit testing and NRR derating on p. 38.

# Hearing Protection

## Earplugs (cont.)



### 3M™ E-A-R™ Push-Ins™ Earplugs

3M™ E-A-R™ Push-Ins™ earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M™ E-A-Rform™ foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy insertion.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-18000-8	318-1000	Regular	Uncorded	28 dB	Yellow/Blue	400 Pair
1-00-80529-18001-5	318-1001	Regular	Corded	28 dB	Yellow/Blue	400 Pair



### 3M™ UltraFit™ Silicone Corded Earplugs

3M™ UltraFit™ Silicone Earplugs are comfortable, reusable hearing protectors. Made from durable, soft silicone material, this earplug can be washed and reused many times to help reduce waste. Three-flange design fits a wide range of ear canal sizes.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
5-00-51131-27515-2	340-3002	Regular	Red cord	24 dB	Orange	320 Pair



### 3M™ E-A-R™ UltraFit™ Earplugs

The 3M™ E-A-R™ UltraFit™ Earplugs are a proven triple-flange design made of pliable, pre-molded material. These durable, reusable earplugs are washable so they can be used many times to help reduce waste. They can be cleaned easily with soap and water. There is no need to roll them down before inserting.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-80529-40003-8	340-4004	Regular	Reusable	25 dB	Yellow	400 Pair
1-00-80529-40004-5	340-4007	Regular	Metal detectable	25 dB	Blue	400 Pair



### 3M™ E-A-R™ Skull Screws™ Earplugs

3M™ Skull Screws™ push-to-fit foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering push-to-fit convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-92951-8	P1300	Large	Uncorded	32 dB	Silver	480 Pair
1-00-93045-92952-5	P1301	Large	Corded	32 dB	Silver	480 Pair



### 3M™ No-Touch™ Foam Earplugs

3M™ No-Touch™ push-to-fit foam earplugs create a hygienic, noise-reducing seal in the ear canal with soft foam, a smooth tapered shape and paddle stems. Push-to-fit design makes inserting earplugs easy.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-98014-4	P2000	Small	Uncorded	29 dB	Purple	400 Pair
1-00-93045-98015-1	P2001	Small	Corded	29 dB	Purple	400 Pair



### 3M™ Tri-Flange™ Earplugs

3M™ Tri-Flange™ corded reusable earplugs feature a proven, triple-flange design and soft, pliable material to provide clean and comfortable hearing protection.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-98016-8	P3000	Regular	Vinyl cord	26 dB	Clear/Yellow	400 Pair
1-00-93045-98017-5	P3001	Regular	Cloth cord	26 dB	Clear/Yellow	400 Pair

⚠ See important warnings for these products on p. 38.

\*See important warning on fit testing and NRR derating on p. 38.

# Hearing Protection

## Earmuffs



### 3M™ PELTOR™ X1 Earmuffs

The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as “dielectric”.

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-93723-0	X1A	One Size Fits Most	22 dB	Black/Green	10 Each



### 3M™ PELTOR™ X4 Earmuffs

The X4 combines high attenuation with a sleek, low-profile and lightweight design. The innovative foam earcup inserts and spacers help boost attenuation while adding little bulk or weight. This lightweight, lower-profile earmuff helps with compatibility with other personal protective equipment and is designed for protection against moderate-to-high level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as “dielectric”.

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-93726-1	X4A	One Size Fits Most	27 dB	Black/Chartreuse	10 Each



### 3M™ PELTOR™ X5 Earmuffs

For very high noise situations, no earmuffs in the market today offer a higher Noise Reduction Rating (NRR) than X5. The high attenuation provided by these earmuffs is a result of the combination of specially-formulated foam in the earcups and cushions and the innovative spacer and cup design. They feature an electrically insulated wire headband, often referred to as “dielectric”.

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/ Units
1-00-93045-93727-8	X5A	One Size Fits Most	31 dB	Black	10 Each

⚠ See important warnings for these products on p. 38.

\*See important warning on fit testing and NRR derating on p. 38.



# Safety Communications

## Safety Earpieces



### 3M™ PELTOR™ Electronic Earplug, EEP-100

The 3M™ PELTOR™ EEP-100 Electronic Earplug helps protect your hearing when it's loud, while allowing you to hear normally when it's quiet. This kit includes a protective charging case and an assortment of eartips. Battery Type: Lithium Ion Rechargeable

UPC	Product ID	Style	Battery Life	Noise Reduction Rating*	Color	Case Qty/ Units
0-00-51131-27743-4	EEP-100	In-ear	16 Hours	23 dB, 27 dB, 30 dB	Green	1 Each

## Safety Headsets



### 3M™ PELTOR™ ProTac III Headset

The ProTac III hearing protector helps protect your hearing when it's loud, while allowing you to hear normally when it's quiet. 100 hours of battery life, 2 AA batteries and a 3.5mm auxiliary port.

UPC	Product ID	Style	Noise Reduction Rating*	Color	Case Qty/ Units
0-40-54596-12322-9	MT13H221A	Headband	26 dB	Black	10 Each
0-40-54596-12325-0	MT13H221P3E	Helmet Mounted	23 dB	Black	10 Each



### 3M™ PELTOR™ LiteCom Plus 2-Way Radio Headset

The 3M™ PELTOR™ LiteCom Plus two-way radio headset allows two-way conversation on up to 30 channels and has a range of up to 9,500 feet. The environmental listening technology helps protect your hearing when it's loud, while allowing you to hear normally when it's quiet. Battery Type: Rechargeable Li-ion Pack.

UPC	Product ID	Style	Battery Life	Noise Reduction Rating*	Color	Case Qty/ Units
0-73-18700-06344-1	MT7H7A4610-NA	Headband	Approx. 20 Hours	25 dB	Dark Blue	1 Each
0-73-18720-06346-9	MT7H7P3E4610-NA	Hard Hat Attached	Approx. 20 Hours	25 dB	Dark Blue	1 Each



### 3M™ PELTOR™ WS™ LiteCom PRO III Headset

3M™ PELTOR™ WS™ LiteCom Pro III Headset is a hearing protector with built-in analog and digital programmable two-way communication radio, environmental listening technology, Bluetooth® functionality and a jack to connect to external devices. Both non-intrinsically safe and intrinsically safe models are available. Battery Type: Lithium-Ion. Auxiliary Port: 4-pin XLR.

UPC	Product ID	Style	Battery Life	Noise Reduction Rating*	Color	Case Qty/ Units
0-73-18640-06710-3	MT73H7A4D10NA	Headband	11 Hours	28 dB	Navy Blue	1 Each
0-73-18640-06711-0	MT73H7B4D10NA	Neckband	11 Hours	28 dB	Navy Blue	1 Each
0-73-18640-06714-1	MT73H7P3E4D10NA	Hard Hat Attached	11 Hours	25 dB	Navy Blue	1 Each
0-73-18640-06713-4	MT73H7F4D10NA-50	Headband	8 Hours	27 dB	Royal Blue	1 Each



### 3M™ PELTOR™ WS™ ProTac XP Communication Headset featuring Bluetooth® technology

3M™ PELTOR™ WS™ ProTac XP is a protective communication headset featuring Bluetooth® technology, environmental listening technology, and a noise canceling microphone. Built for industrial applications, the WS ProTac XP headset will help keep you protected while allowing you to communicate hands-free in noise. Approx. 24 hours of battery life with AA or NiMH rechargeable battery.

UPC	Product ID	Style	Noise Reduction Rating*	Color	Case Qty/ Units
0-40-46719-66812-0	MT15H7AWS5-77	Headband	27 dB	Black	1 Each
0-40-46719-72358-4	MT15H7P3EWS5-77	Hard Hat Attached	26 dB	Black	1 Each

⚠ See important warnings for these products on p. 38.

\*See important warning on fit testing and NRR derating on p. 38.

# Respiratory Protection

## Disposable Respirators



### 3M™ Particulate Respirators 8210 and 8210V, N95

This classic disposable N95 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.

UPC	Product ID	Description	Color	Case Qty/ Units
5-00-51138-46457-3	8210	-	White	160 Each
5-00-51131-49711-0	8210V	3M™ Cool Flow™ Valve	White	80 Each



### 3M™ Particulate Respirator 8511, N95

This disposable N95 particulate respirator features 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. It is well suited for hot/dusty work settings that require long periods of wear.

UPC	Product ID	Color	Case Qty/ Units
5-00-51138-54343-8	8511	White	80 Each



### 3M™ Aura™ Particulate Respirator 9211+, N95

The 3M™ Aura™ Particulate Respirator 9211+, N95 is a breakthrough in comfort and convenience. This three-panel disposable flat-fold respirator features soft inner material and a 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. Well suited for hot/dusty work settings that require long periods of wear.

UPC	Product ID	Color	Case Qty/ Units
5-88-87719-99716-9	9211+	White	120 Each



### 3M™ VFlex™ Particulate Respirator 9105, N95

This economical disposable N95 particulate respirator has a unique folded design with V-shaped pleats that flex with mouth movement for easier talking and expand for ease of breathing. Available in two sizes. Designed to fit a broad range of faces.

UPC	Product ID	Color	Case Qty/ Units
5-00-51131-17397-7	9105	White	400 Each



### 3M™ Particulate Respirator 8271, P95

This disposable P95 particulate respirator features 3M proprietary advanced electret filter media, foam faceseal and 3M™ Cool Flow™ Valve to help provide comfortable worker respiratory protection against certain oil and non-oil based particles.

UPC	Product ID	Color	Case Qty/ Units
5-00-51138-54285-1	8271	White	80 Each



### 3M™ Particulate Respirator 8577, P95

This disposable P95 particulate respirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels\* of organic vapors. It features 3M™ Cool Flow™ Valve.

UPC	Product ID	Color	Case Qty/ Units
5-00-51138-54371-1	8577	White	80 Each

\*3M recommended for relief against nuisance level organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable occupational exposure limits, whichever is lower.

# Respiratory Protection

## Powered Air Respirator Systems



### 3M™ Versaflo™ PAPR TR-300+ Assemblies

Product IDs TR-304N+ and TR-305N+: 4-6 hours of battery life with an economy battery; TR-306N+ and TR-307N+: 8-12 hours of battery life with a high capacity Lithium Ion – Rechargeable battery.

UPC	Product ID	Description	Filter Color Code	Color	Case Qty/ Units
0-00-76308-94265-6	TR-304N+	Easy clean belt, economy battery, HE filter	Magenta	Beige	1 Each
0-00-76308-94266-3	TR-305N+	Standard belt, economy battery, HE filter, single-station charger	Magenta	Beige	1 Each
0-00-76308-94267-0	TR-306N+	High durability belt, high capacity battery, HE filter, single-station charger	Magenta	Beige	1 Each
0-00-76308-94264-9	TR-307N+	Easy clean belt, high capacity battery, HE filter, and single-station charger	Magenta	Beige	1 Each



### 3M™ Versaflo™ Easy Clean PAPR Kit TR-300N+ ECK

The 3M™ Versaflo™ TR-300N+ ECK is a complete, ready to use HE PAPR system that is easy to clean and maintain. Suggested industries include: Pharmaceutical, Healthcare and Food Safety. 8-12 hours of battery life with a high capacity Lithium Ion – Rechargeable battery.

UPC	Filter Color Code	Color	Case Qty/ Units
0-00-76308-94268-7	Magenta	Beige	1 Kit



### 3M™ Versaflo™ Healthcare PAPR Kit TR-300N+ HKS/HKL

This complete, ready-to-use HE PAPR system with a headcover offers a wider field of vision and easy access to ears for stethoscope use. Suggested industries include: Pharmaceutical and Healthcare. 8-12 hours of battery life with a high capacity Lithium Ion – Rechargeable battery.

UPC	Product ID	Size	Filter Color Code	Color	Case Qty/ Units
0-00-76308-94270-0	TR-300N+ HKS	Small-Medium Head Cover	Magenta	Beige	1 Kit
0-00-76308-94271-7	TR-300N+ HKL	Medium-Large Head Cover	Magenta	Beige	1 Kit



### 3M™ Versaflo™ Heavy Industry PAPR Kit TR-300N+ HIK

The 3M™ Versaflo™ TR-300N+ HIK is a complete, ready to use HE PAPR system for industrial applications. 8-12 hours of battery life with a high capacity Lithium Ion – Rechargeable battery.

UPC	Filter Color Code	Color	Case Qty/ Units
0-00-76308-94269-4	Magenta	Beige	1 Kit



### 3M™ Versaflo™ PAPR TR-600 Assemblies

TR-600 assemblies include the motor/blower (TR-602N), length adjusting breathing tube (BT-30), airflow indicator (TR-971), and belt and battery as noted below. Headtops, filters, cartridges and battery charger sold separately. 7-19 hours of battery life with Lithium Ion – Rechargeable battery.

UPC	Product ID	Description	Case Qty/ Units
0-00-51131-37339-6	TR-613N	Standard battery (TR-630), high durability belt (TR-626)	1 Each
0-00-51131-37340-2	TR-614N	Standard battery (TR-630), easy clean belt (TR-627)	1 Each
0-00-51131-37341-9	TR-616N	High capacity battery (TR-632), high durability belt (TR-626)	1 Each
0-00-51131-37342-6	TR-617N	High capacity battery (TR-632), easy clean belt (TR-627)	1 Each

▲ See important warnings for these products on p. 38.

# Respiratory Protection

## Powered Air Respirator Systems (cont.)



### 3M™ Versaflo™ PAPR Assembly TR-614-HK

Workers can customize their respiratory protection system by choosing the headtop. With the option to customize, workers can design a respiratory system that meets their specific needs. Suggested industries include: Pharmaceutical and Healthcare. 7-12.5 hours of battery life with a standard capacity Lithium Ion – Rechargeable battery.

UPC	Filter Color Code	Color	Case Qty/ Units
0-00-51131-27502-7	Magenta	Gray	1 Each



### 3M™ Versaflo™ Easy Clean PAPR Kit TR-600-ECK

The TR-600-ECK is a complete PAPR system and includes everything required to get started for use in operations where it is important to be able to easily clean the PAPR system. Suggested industries include: Pharmaceutical, Food Safety, Painting, and Lead Battery Manufacturing Recycling. 9.5-12.5 hours of battery life with a standard capacity Lithium Ion – Rechargeable battery.

UPC	Filter Color Code	Case Qty/ Units
0-00-51131-37375-4	Magenta	1 Kit



### 3M™ Versaflo™ Healthcare PAPR Kit TR-600-HKS/HKL

3M™ Versaflo™ Healthcare PAPR Kit TR-600-HKS/HKL offers a complete powered air respirator system that includes everything needed to get started. Suggested industries include: Pharmaceutical and Healthcare. 9.5-12.5 hours of battery life with a standard capacity Lithium Ion – Rechargeable battery.

UPC	Product ID	Size	Filter Color Code	Color	Case Qty/ Units
0-00-51131-27499-0	TR-600-HKS	Small-Medium Head Cover	Magenta	Gray	1 Kit
0-00-51131-27501-0	TR-600-HKL	Medium-Large Head Cover	Magenta	Gray	1 Kit



### 3M™ Versaflo™ Heavy Industry PAPR Kit TR-600-HIK

The TR-600-HIK is a complete Powered Air Purifying Respirator and includes everything required to get started. This ready-to-use kit provides a simple way to purchase a complete PAPR system for use in rugged environments such as industrial, demolition, grinding, metal finishing and casting operations. 10.5-15 hours of battery life with a high capacity Lithium Ion – Rechargeable battery.

UPC	Filter Color Code	Case Qty/ Units
0-00-51131-37374-7	Magenta/Yellow	1 Kit



### 3M™ Versaflo™ PAPR Assembly Painters Kit TR-800-PSK

The TR-800-PSK is a complete Powered Air Purifying Respirator with an Intrinsically Safe motor/blower that includes everything required to get started for use in Paint Spray operations. NIOSH approved. The kit includes: M-206 Respiratory Faceshield Assembly, BT-20L Breathing Tube, TR-6510N (OV/HE) Cartridge, TR-641N Single Station Battery Charger, BT-922 Breathing Tube Cover, Intrinsically Safe TR-802N PAPR Unit, TR-830 Intrinsically Safe Battery, TR-838 Battery Attachment Tool, TR-627 Easy Clean Belt, TR-6500 Filter Cover, TR-971 Airflow Indicator, BT-922 Breathing Tube Cover and TR-653 Storage and Cleaning Kit.

UPC	Filter Color Code	Color	Case Qty/ Units
0-00-76308-94248-9	Magenta/Black	Gray/Black	1 Kit

# Respiratory Protection

## Powered and Supplied Air Parts and Accessories



### 3M™ Versaflo™ Back Pack BPK-01 and Back Pack Adaptor TR-655, for TR-300+/600/800 PAPR

The 3M™ Versaflo™ Back Pack BPK-01 allows the TR-300+ series PAPR to be worn on the wearer's back rather than on a belt at the waist. Workers may find the PAPR more comfortable or convenient to wear when mounted on the back pack. This configuration may also enable the PAPR to be worn when a worker already wears other equipment around their waist. The TR-655 back pack adapter enables the TR-600 and TR-800 series PAPR to be mounted on the BPK-01 back pack.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-17358-3	BPK-01	Black	1 Each
0-00-51131-37385-3	TR-655	Black	1 Each

## Supplied Air Respirator Systems



### 3M™ Versaflo™ Painter's Supplied Air Respirator Kit SA-100-PSK

The SA-100-PSK consists of a lightweight respiratory faceshield, breathing tube, and vortex cooling valve. A Supplied Air Hose (sold separately) is required to complete the NIOSH-approved system. Ideal as a painter's respirator kit.

UPC	Color	Case Qty/Units
0-00-51131-37336-5	Gray	1 Kit

## Full Face Respirators



### 3M™ Full Facepiece Reusable Respirator 6000 Series

This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ particulate filters or cartridges to help provide respiratory protection against particulates and/or a variety of gases and vapors.

UPC	Product ID	Size	Case Qty/Units
5-00-51138-54145-8	6700	Small	4 Each
5-00-51138-54146-5	6800	Medium	4 Each
5-00-51138-54159-5	6900	Large	4 Each



### 3M™ Full Facepiece Reusable Respirator 7800 Series

This full facepiece reusable respirator has a double-flange face seal and can be used with a clip-on welding shield attachment. Combine with appropriate 3M™ particulate filters or cartridges to help provide respiratory protection against particulates and/or a variety of gases and vapors.

UPC	Product ID	Size	Case Qty/Units
0-00-51138-54257-3	7800S-S	Small	1 Each
0-00-51138-54258-0	7800S-M	Medium	1 Each
0-00-51138-54259-7	7800S-L	Large	1 Each



### 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series

Engineered for maximum comfort, durability and visibility, the Ultimate FX FF-400 is the only respirator with Scotchgard™ Protector. This respirator features soft yet durable, silicone material and a large lens for superior peripheral vision.

UPC	Product ID	Size	Case Qty/Units
5-00-51135-89418-2	FF-401	Small	4 Each
5-00-51135-89421-2	FF-402	Medium	4 Each
5-00-51135-89424-3	FF-403	Large	4 Each

▲ See important warnings for these products on p. 38.

# Respiratory Protection

## Half Mask Respirators



### 3M™ Half Facepiece Reusable Respirator 6000 Series

This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-07024-5	6100	Small	24 Each
5-00-51131-07025-2	6200	Medium	24 Each
5-00-51131-07026-9	6300	Large	24 Each



### 3M™ Half Facepiece Reusable Respirator 7500

This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-37081-9	7501	Small	10 Each
5-00-51131-37082-6	7502	Medium	10 Each
5-00-51131-37083-3	7503	Large	10 Each



### 3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500QL Series

This half facepiece combines comfort, durability, and stability. The quick latch design offers an easy, one-hand touch drop-down mechanism for putting the facepiece on and off while moving in and out of contaminated areas.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-49488-1	6501QL	Small	10 Each
5-00-51131-49490-4	6502QL	Medium	10 Each
5-00-51131-49492-8	6503QL	Large	10 Each



# Respiratory Protection

## Cartridges and Filters



### 3M™ Gas/Vapor Cartridge 6000 Series\*

NIOSH approved against certain gases and vapors. Use with 3M™ Half and Full Facepieces 6000, 6500, 7500, FF-400, and 7800 Series with bayonet attachment style. NIOSH approved against certain organic vapors and/or acid gases.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51138-21674-5	6001	Organic Vapor	Black	60 Each/30 Pair
5-00-51131-07047-4	6003	Organic Vapor/Acid Gas*	Yellow	60 Each/30 Pair
5-00-51138-54186-1	6006	Multi Gas/Vapor*	Olive	60 Each/30 Pair

OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.



### 3M™ Combination Cartridges/P100 Particulate Filters 6000 Series\*

NIOSH approved against certain gases, vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 6500, 7500, FF-400, and 7800 Series with bayonet attachment style.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51138-46465-8	60921	Organic Vapor/P100	Magenta/Black	60 Each/30 Pair
5-00-51138-46467-2	60923	Organic Vapor/Acid Gas/P100*	Magenta/Yellow	60 Each/30 Pair
5-00-51138-54187-8	60926	Multi-Gas/Vapor/P100*	Magenta/Olive	60 Each/30 Pair

OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.



### 3M™ Particulate Filter 2000 Series\*

NIOSH approved for environments containing certain oil and non-oil based particles.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51131-07000-9	2091	P100	Magenta	100 Each/50 Pair
5-00-51131-07184-6	2097	P100, with Nuisance Level Organic Vapor Relief**	Magenta	100 Each/50 Pair



### 3M™ Advanced Particulate Filter 2000 Series\*

Designed to make breathing easier while lasting longer. NIOSH approved for environments containing certain oil and non-oil based particles.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51131-17170-6	2291	P100	Magenta	100 Each/50 Pair
5-00-51131-17172-0	2297	P100, with Nuisance Level Organic Vapor Relief**	Magenta	100 Each/50 Pair



### 3M™ Particulate Filter 5N11 and 5P71\*

Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series or 3M™ Filter Adapter 603, and 3M™ Filter Retainer 501.

UPC	Product ID	Description	Packaging	Case Qty/Units
5-00-51138-46464-1	5N11	N95 Prefilter	10 Each/5 Pairs per box	100 Each/50 Pair
5-00-51131-07194-5	5P71	P95 Prefilter	10 Each/5 Pairs per box	100 Each/50 Pair

⚠ See important warnings for these products on p. 38.

\*These cartridges are approved for respiratory protection from certain contaminants up to 10 times the permissible exposure limit (PEL) with half facepiece respirators and full facepiece respirators when qualitatively fit tested, or up to 50 times the PEL with full facepiece respirators when quantitatively fit tested, or the concentration considered immediately dangerous to life or health (IDLH), or according to specific OSHA standards or applicable government regulations, whichever is lower.

\*\*3M recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases or organic vapors.

# Respiratory Protection

## Reusable Respirator Parts and Accessories



### 3M™ Faceshield Cover 6885

Use on 3M™ Full Facepieces 6000 Series to help protect the lens.

UPC	Product ID	Case Qty/Units
5-00-51131-07142-6	6885	100 Each



### 3M™ Stacked Lens Cover FF-400-18

3M™ Stacked Lens Cover FF-400-18 makes it easy to help protect the lens of the 3M™ Ultimate FX Full Reusable Respirator's Facepiece, models FF-401, FF-402 and FF-403, while maintaining worker productivity in certain work environments. The lens cover features 7 layers that can be easily removed as they become contaminated. As a layer is removed, it reveals a fresh, clean layer underneath.

UPC	Product ID	Case Qty/Units
0-00-51141-56788-4	FF-400-18	20 Each



### 3M™ Filter Retainer 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series and 3M™ Filter Adapter 603.

UPC	Product ID	Packaging	Case Qty/Units
5-00-51138-17668-1	501	20 Each/10 Pairs per box	100 Each



### 3M™ Respirator Cleaning Wipe 504

Used to clean 3M™ Reusable Respirators. Individually packed 8 inch x 10 inch towelettes are alcohol free and will not damage the facepiece materials.

UPC	Product ID	Packaging	Case Qty/Units
5-00-51131-07065-8	504	100 per box	500 Each



Safety

# Adapters, Cups and Collars

## Adapters



### 3M™ PPS™ Series 2.0 Adapter

3M™ PPS™ Series 2.0 Adapter provides four points of connection from lid-to-gun and converts typical spray guns into ones that work with the 3M™ PPS™ Series 2.0 Spray Cup System. Specifically designed adapters allow painters to use 3M™ PPS™ Series 2.0 Adapter with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ Adapter into the spray gun.

UPC	Size	Adapter	Common Spray Gun Model	Case Qty/Units
0-00-51131-26003-0	16mm Female, 1.5mm Thread	#S2	Older Iwata, Sata, Low Cost	4 Each
0-00-51131-26016-0	16mm Male, 1.5mm Thread	#S9	Older Sata	4 Each
0-00-51131-26046-7	3/8 Male, 19 Thread BSP	#S15	Binks, Devilbiss	4 Each
0-00-51131-26135-8	Trapezoidal Thread	#S40	Newer Sata	4 Each
0-00-51131-26139-6	1/4 Male, 19 Thread BSP	#S43	Iwata Supernova	4 Each
0-00-51131-26119-8	16mm Male, 1.5mm Thread	#S27	Misc. Spray Gun	4 Each
0-00-51131-26006-1	12mm Male, 1.5mm Thread	#S5	Misc. Spray Gun	4 Each

To find an adapter for your spray gun, visit: [3Mcollision.com/PPSadapters](http://3Mcollision.com/PPSadapters)

## Cups and Collars



### 3M™ PPS™ Series 2.0 Spray Cup System Kit

3M™ PPS™ Series 2.0 Spray Cup System Kit is the next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Each lid and liner kit contains 50 disposable lids with integrated collars and full diameter filters, 50 disposable liners, 1 reusable hard cup and 32 sealing plugs.

UPC	Size	Filter	Case Qty/Units
0-00-51131-26024-5	28 oz (850 mL)	200 Micron	1 Kit
0-00-51131-26325-3	28 oz (850 mL)	125 Micron	1 Kit
0-00-51131-26000-9	22 oz (650 mL)	200 Micron	1 Kit
0-00-51131-26301-7	22 oz (650 mL)	125 Micron	1 Kit
0-00-51131-26112-9	13.5 oz (400 mL)	200 Micron	1 Kit
0-00-51131-26312-3	13.5 oz (400 mL)	125 Micron	1 Kit
0-00-51131-26114-3	6.8 oz (200 mL)	200 Micron	1 Kit
0-00-51131-26314-7	6.8 oz (200 mL)	125 Micron	1 Kit
0-00-51131-26028-3	3 oz (90 mL)	200 Micron	1 Kit
0-00-51131-26328-4	3 oz (90 mL)	125 Micron	1 Kit



# Spray Guns, Tips and Nozzles

## Spray Guns



### 3M™ Accuspray™ ONE Spray Gun

The 3M™ Accuspray™ ONE Spray Gun delivers fundamental improvements in the application of auto paint and other fluids. A lightweight, one-piece composite spray gun body contains no gaskets or seals, eliminating the need for maintenance kits. The gun accepts a range of 3M™ Accuspray™ replaceable atomizing heads for a system affording the performance of a new gun, on demand and at a fraction of the cost.

UPC	Description	Color	Case Qty/ Units
0-00-51131-16579-3	Up to 12 inch vertical or horizontal spray pattern	Black	4 Kits



### 3M™ Accuspray™ ONE Pro Spray Gun Kit for PPS™ Series 2.0

The 3M™ Accuspray™ ONE Spray Gun for 3M™ PPS™ Series 2.0 combines the simplicity and easy maintenance of our Accuspray™ spray gun with the material-saving, rapid clean-up convenience of PPS™ Series 2.0, our next generation, highest performing disposable spray cup system. Replaceable atomizing heads afford the performance of a new gun, on demand and at a fraction of the cost.

UPC	Description	Color	Case Qty/ Units
0-00-51131-26578-3	Includes five (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue)	Black	4 Kits



### 3M™ High Power Spray Gun Cleaner

3M™ High Power Spray Gun Cleaner is a low VOC aerosol specifically formulated for removing waterborne and solvent-based coatings from metals, plastic and composite surfaces. This spray gun cleaner meets SCAQMD Rule 1171 requirements.

UPC	Description	Size	Case Qty/ Units
0-00-51131-26689-6	Extension tube included with each can	15 oz (Aerosol)	6 Cans

## Tips and Nozzles



### 3M™ Accuspray™ Atomizing Head Refill Pack for 3M™ PPS™ Series 2.0

3M™ Accuspray™ Atomizing Heads for 3M™ PPS™ Series 2.0 are designed specifically for use with the 3M™ Accuspray™ ONE and PPS™ Series 2.0 Spray Cup systems. A selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand.

UPC	Packaging	Size	Color	Case Qty/ Units
0-00-51131-26612-4	4 nozzles per pack	1.2mm	Blue	6 Packs
0-00-51131-26613-1	4 nozzles per pack	1.3mm	Green	6 Packs
0-00-51131-26614-8	4 nozzles per pack	1.4mm	Orange	6 Packs
0-00-51131-26618-6	4 nozzles per pack	1.8mm	Clear	6 Packs
0-00-51131-26620-9	4 nozzles per pack	2.0mm	Red	6 Packs

# Adhesive Transfer Tapes and Masking Tapes

## Adhesive Transfer Tapes



### Scotch® ATG Adhesive Transfer Tape 969

Scotch® ATG Adhesive Transfer Tape 969 features very high initial adhesion and good shear holding power for bonding a wide variety of materials including plastics, glass, paints and materials with glossy surfaces. Very high initial adhesion creates an immediate, permanent bond that provides good solvent and UV resistance. The adhesive can stick to difficult, varied and textured surfaces, including areas with high humidity and those exposed to sunlight. Reverse wound on 1-inch diameter core for use in Scotch® ATG Applicators. Temperature use range of 250°F (121°C) Short term (Mins, Hrs) and 180°F (82°C) Long term (Days, Weeks).

UPC	Packaging	Size	Thickness	Color	Case Qty/ Units
0-00-21200-67667-3	12 Rolls per Inner, 6 Inners per Box	¼ in x 18 yd	5.0 mil	Clear	72 Rolls
0-00-21200-05671-0	12 Rolls per Inner, 6 Inners per Box	½ in x 18 yd	5.0 mil	Clear	72 Rolls
0-00-21200-31493-3	12 Rolls per Inner, 2 Inners per Box	½ in x 18 yd	5.0 mil	Clear	24 Rolls
0-00-21200-05672-7	12 Rolls per Inner, 4 Inners per Box	¾ in x 18 yd	5.0 mil	Clear	48 Rolls
0-00-21200-87399-7	Bulk	¼ in x 36 yd	5.0 mil	Clear	144 Rolls
0-00-21200-15682-3	12 Rolls per Inner, 6 Inners per Box	½ in x 36 yd	5.0 mil	Clear	72 Rolls
0-00-21200-15683-0	12 Rolls per Inner, 4 Inners per Box	¾ in x 36 yd	5.0 mil	Clear	48 Rolls
0-00-21200-24254-0	Bulk	1½ in x 36 yd	5.0 mil	Clear	24 Rolls
0-00-21200-19261-6	Bulk	2 in x 36 yd	5.0 mil	Clear	24 Rolls

## Masking Tapes



### 3M™ High Performance Green Masking Tape 401+

3M™ High Performance Green Masking Tape 401+ is designed to deliver sharp paint lines where surface temperatures can reach up to 250°F/121°C for 30 minutes. This green crepe paper tape is ideal for high performance industrial painting — including two-tone applications on trucks, buses, trailers, trains, fire trucks, ambulances, and airplanes — where strong holding performance is required.

UPC	Packaging	Size	Thickness	Color	Case Qty/ Units
0-00-51115-64759-8	Bulk	12 mm x 55 m	6.7 mil	Green	48 Rolls
0-00-51115-64760-4	Bulk	18 mm x 55 m	6.7 mil	Green	48 Rolls
0-00-51115-64761-1	Bulk	24 mm x 55 m	6.7 mil	Green	24 Rolls
0-00-51115-64762-8	Bulk	36 mm x 55 m	6.7 mil	Green	16 Rolls
0-00-51115-64763-5	Bulk	48 mm x 55 m	6.7 mil	Green	12 Rolls
0-00-51115-64764-2	Bulk	72 mm x 55 m	6.7 mil	Green	8 Rolls
0-00-51115-64765-9	Bulk	96 mm x 55 m	6.7 mil	Green	8 Rolls
0-00-51115-64769-7	Ind. Wrapped	48 mm x 55 m	6.7 mil	Green	12 Rolls



### 3M™ Performance Yellow Masking Tape 301+

3M™ Performance Yellow Masking Tape 301+ is designed to deliver good paint lines where surface temperatures can reach up to 225°F/107°C. This yellow crepe paper tape is ideal for paint masking applications in specialty vehicle, aerospace, automotive and industrial markets where strong holding performance is required.

UPC	Packaging	Size	Thickness	Color	Case Qty/ Units
0-00-51115-64749-9	Bulk	12 mm x 55 m	6.3 mil	Yellow	72 Rolls
0-00-51115-64750-5	Bulk	18 mm x 55 m	6.3 mil	Yellow	48 Rolls
0-00-51115-64751-2	Bulk	24 mm x 55 m	6.3 mil	Yellow	36 Rolls
0-00-51115-64752-9	Bulk	36 mm x 55 m	6.3 mil	Yellow	24 Rolls
0-00-51115-64753-6	Bulk	48 mm x 55 m	6.3 mil	Yellow	24 Rolls
0-00-51115-64754-3	Bulk	72 mm x 55 m	6.3 mil	Yellow	12 Rolls
0-00-51115-64755-0	Bulk	96 mm x 55 m	6.3 mil	Yellow	8 Rolls
0-00-51115-64756-7	Ind. Wrapped	24 mm x 55 m	6.3 mil	Yellow	36 Rolls
0-00-51115-64757-4	Ind. Wrapped	36 mm x 55 m	6.3 mil	Yellow	24 Rolls
0-00-51115-64758-1	Ind. Wrapped	48 mm x 55 m	6.3 mil	Yellow	24 Rolls

# Polyester Tapes



## 3M™ Polyester Tape 875

3M™ Polyester Tape 875 has a thin, high strength polyester film that provides a degree of conformability while meeting low caliper requirements. This tape works in demanding conditions and provides satisfactory performance in short term bake cycles at 400°F (204°C), as well as longer term autoclave processes up to 350°F (177°C). It can be used in high temperature applications including temporary holding and masking in composite bonding. When the job is finished, removal is simple, and this tape offers clean release after autoclave processes where tape is used for holding TC wires, vacuum bagging materials, and tooling. The high temperature resistant, non-silicone adhesive also makes it ideal for paint masking in liquid or powder coat processes.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/ Units
0-06-38060-14486-2	Bulk	1 in x 72 yd	1.0 mil	34 lbs/in	Green	48 Rolls
0-06-38060-14478-7	Bulk	2 in x 72 yd	1.0 mil	34 lbs/in	Green	24 Rolls
0-06-38060-14608-8	Bulk	3 in x 72 yd	1.0 mil	34 lbs/in	Green	16 Rolls



## 3M™ Polyester Tape 876

3M™ Polyester Tape 876 has a thin, high strength polyester film that provides a degree of conformability while meeting low caliper requirements. This tape works in demanding conditions and provides satisfactory performance in short term bake cycles at 400°F (204°C), as well as longer term autoclave processes up to 350°F (177°C). It can be used in high temperature applications including temporary holding and masking in composite bonding. When the job is finished, removal is simple, and this tape offers clean release after autoclave processes where tape is used for holding TC wires, vacuum bagging materials, and tooling. The high temperature resistant, non-silicone adhesive also makes it ideal for paint masking in liquid or powder coat processes. The tape is a thicker version of 3M™ Polyester Tape 875.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/ Units
0-06-38060-14488-6	Bulk	1 in x 72 yd	2.0 mil	66 lbs/in	Green	48 Rolls
0-06-38060-14487-9	Bulk	2 in x 72 yd	2.0 mil	66 lbs/in	Green	24 Rolls
0-06-38060-14614-9	Bulk	3 in x 72 yd	2.0 mil	66 lbs/in	Green	16 Rolls



# Additional Information

## ⚠ WARNING!



These respirators help reduce exposures to certain airborne particulates. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in injury, illness or death. For correct use, consult supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

## ⚠ WARNING!

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

NOTE! When worn according to the User Instructions, this hearing protector helps reduce exposure to both continuous noises, such as industrial noises and noises from vehicles and aircraft, as well as very loud impulse noises, such as gunfire. It is difficult to predict the required and/or actual hearing protection obtained during exposure to impulse noises. For gunfire, the weapon type, number of rounds fired, proper selection, fit and use of hearing protection, proper care of hearing protection, and other variables will impact performance. If your hearing seems dulled or you hear a ringing or buzzing during or after any noise exposure (including gunfire), or for any other reason you suspect a hearing problem, your hearing may be at risk. To learn more about hearing protection for impulse noise, please visit [www.3M.com/hearing](http://www.3M.com/hearing).

## ⚠ WARNING!

These products meet the requirements of certain industrial eyewear standards and with some models certain industrial head protection standards. They do not provide complete head, eye and face protection from severe impact and penetration and are not a substitute for good safety practices and engineering controls. **Misuse may result in serious injury or death.** For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service.

## ⚠ WARNING!

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. **Misuse may result in permanent eye injury and vision loss.** Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

## ⚠ WARNING!

3M™ Hard Hat H-700 Series and 3M™ Hard Hat H-800 Series provide limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death. For proper use see supervisor, User Instructions or call 3M Personal Safety Division (PSD) Technical Service at 800-243-4630 (USA) or 800-267-4414 (Canada).

## ⚠ WARNING!



These respirators help protect against certain airborne contaminants. **Misuse may result in sickness or death.** For proper use, the wearer must read and understand User Instructions provided as part of the product packaging, see supervisor, or call 3M PSD Technical Service at 1-800-243-4630. Time use limitations may apply.

**Important** – Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.

**Product Selection and Use:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

**Warranty, Limited Remedy, and Disclaimer:** Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

**Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M, Accuspray, Aura, Classic, Cool Flow, Cubitron II, Dynatron, E-A-R, E-A-Rform, E-A-Rsoft, EXPRESS, GoggleGear, Grippers, Hookit, No-Touch, PELTOR, Perfect-It, Platinum, Pod Plugs, PPS, Push-Ins, Roloc, Scotch, Scotchblok, Scotchgard, Scotch-Weld, SecureFit, Skull Screws, Solus, Stikit, Tri-Flange, Trizact, UltraFit, UVicator, Versaflo, VFlex, Virtua, WS, and Yellow Neons are all trademarks of 3M. All other trademarks are the property of their respective owners.



Industrial and Safety Markets Center  
3M Center, Building 225  
St. Paul, MN 55144 USA  
[www.3M.com](http://www.3M.com)

Please recycle. Printed in USA. © 3M 2019.  
All rights reserved. 78-6901-2404-1

